

Web

Results 1 - 27 of about 30 for "**format detector**" **rate power level threshold**. (0.34 seconds)

Rapid high-sensitivity imaging of radio labelled gels with ...

... (and ~26 m m for a smaller **format detector** - 30mm diameter). ... MCPs [10,14]

we estimate they used a **threshold** of ~0.6 times the peak detector gain. ...

www.src.le.ac.uk/projects/ bioimaging/publications/gels.html - 24k - Apr 24, 2005 - [Cached](#) - [Similar pages](#)

PROGRAM AREA OVERVIEW

... with broad tunability, high repetition **rate**, and high average **power**; and ...

the use of larger **format detector** arrays, increased on-chip processing, ...

sbir.er.doe.gov/sbir/Solicitations/FY%202002/NN.htm - 32k - [Cached](#) - [Similar pages](#)

MINUTES OF THE LEVEL-1 CALORIMETER TRIGGER MEETING AT HEIDELBERG

... of the input pulse), and passed through a discriminator with a tunable **threshold**.

... DAQ/EF event format, Rol **format, detector** interface issues. ...

atlasinfo.cern.ch/Atlas/ GROUPS/DAQTRIG/LEVEL1/L1981130.html - 59k - [Cached](#) - [Similar pages](#)

[PDF] On-orbit performance of the double delay line detectors for the ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... a **threshold** for the high voltage current and auxiliary **power** supply ...

to a safe **level** whenever the count **rate** in the ASC mask exceeds a certain ...

fuse.pha.jhu.edu/papers/technical/spie4139/4139-17.pdf - [Similar pages](#)

Search SPIE Papers - Publications - SPIE Web

... lie within set **threshold** levels, and satisfy given morphological rules, ...

rates versus mission cost, which imposes limits both on weight and **power** ...

www.spie.org/scripts/ toc.pl?ab=&journal=SPIE&volume=3445 - 114k - [Cached](#) - [Similar pages](#)

SPIE Proceedings Vol. 3445

... Below a **threshold** energy the responsivity fell, reaching a minimum **level**, ...

with low **power**, high counting rates and low mass for a wide range of ...

www.spie.org/web/abstracts/3400/3445.html - 143k - [Cached](#) - [Similar pages](#)

[PDF] The NASA Solar Terrestrial Relations

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Thus if these lenses are used in a camera with a small **format detector**, the

effective ... we mitigate stray light rejection risk, improve **threshold** ...

www.stereo.rl.ac.uk/spie_hi_paper.pdf - [Similar pages](#)

IAU 2000 - ABSTRACTS

... The **level** of the extra-galactic **power** spectrum fluctuations is nearly the same

... The other is the Infrared Camera, which employs large-**format detector** ...

www.jb.man.ac.uk/~abstract/abstracts/S204P.html - 68k - [Cached](#) - [Similar pages](#)

[PDF] Xilinx XAPP681: HD-SDI Receiver Using Virtex-II Pro RocketIO Multi ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... uses a higher bit **rate** to accommodate the higher bandwidth requirements of

... An example of such a video **format detector** is included in the ...

www.eetkorea.com/ARTICLES/ 2004JUN/2004JUN22_PLD_RFD_AN03.PDF - [Similar pages](#)

[PDF] Rapid, high-sensitivity imaging of radiolabeled gels with ...

File Format: PDF/Adobe Acrobat

... smaller **format detector** ± 30 mm diameter). The sensitiv-. ity of any beta

detector depends ... nator **threshold** will reduce a detector's efficiency since ...

doi.wiley.com/10.1002/ (SICI)1522-2683(19990701)20:10%3C2139::AID-ELPS2139%3E3.0.CO;2-R - [Similar pages](#)

[PS] A Low-Cost, DSP-Based, Intelligent Vision System for Robotic ...

File Format: Adobe PostScript - [View as Text](#)

... camera input and transmitting the "final answers" to the user at frame **rate**.

... selectable by software Sync Programmable **format: Detector** NTSC, PAL,

shogun.vuse.vanderbilt.edu/CIS/Papers/RIVS.ps - [Similar pages](#)

LTD-9 Abstracts

... With this detector an energy **threshold** of 22.1 eV on a 5sigma **level** was ...

and maintains the count **rate** at the **level** adequate for the calorimeters. ...

wisp.physics.wisc.edu/ltd-9/allabs.html - 247k - [Cached](#) - [Similar pages](#)

[PDF] The Galactic Exoplanet Survey Telescope (GEST)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... that a very large **format detector** must be used. This implies a very high data **rate**, so we require a nearly circular, geosynchronous orbit, which is ...

bustard.phys.nd.edu/GEST/GEST_spie_2002.pdf - [Similar pages](#)

Untitled

... Measurements are also made at energies from **threshold** to 4x **threshold**, ...

Versatile Large-**Format Detector** Arrays for Far-Infrared through Millimeter ...

research.hq.nasa.gov/code_s/ nra/current/NNH04ZSS001N-APRA/winners.html - 119k - [Cached](#) - [Similar pages](#)

[PDF] ASTRO-F , super- IRAS , the All-Sky Infrared Survey

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... employs large-**format detector** arrays and will be used to take deep ...

By taking logarithmic steps in the density, a **threshold** redshift ...

astro.imperial.ac.uk/~cpp/astrof/papers/superiras.pdf - [Similar pages](#)

[PS] Journal of The Korean Astronomical Society 36: 249 , 260, 2003 THE ...

File Format: Adobe PostScript - [View as Text](#)

... The IRC employs large-**format detector** arrays which will take deep images of

selected ... Taking logarithmic steps in the density, a **threshold** redshift z ...

www.kas.org/e-journals/ Web_JKAS/data/363/v36n3p249.ps.gz - [Similar pages](#)

BMDO - 166 Phase I Selections from the 01.1 Solicitation

... very high pulse **rate** UV lasers in the 1W to 10W **power** range will be defined in

... and achieve higher **power** levels at improved efficiency and bandwidth. ...

www.dodsbir.net/selections/abs011/bmdoabs011.htm - 513k - [Cached](#) - [Similar pages](#)

DoD SBIR FY00.1 - SOLICITATION SELECTIONS w/ ABSTRACTS

... using fewer wires, less **power**, and at greater data rates and shorter delays

... Although this **power level** has been demonstrated by several laboratories, ...

www.dodsbir.net/selections/all001.htm - 513k - [Cached](#) - [Similar pages](#)

[[More results from www.dodsbir.net](#)]

STMicroelectronics | LCD and Matrix Display TV Processor - STV3550

... used to generate an interrupt based on two programmable **threshold** levels. ...

....12 **Power-On Reset**82 ...

www.st.com/stonline/books/ascii/docs/10186.htm - 283k - [Cached](#) - [Similar pages](#)

Advances in Measurement Methods for Atmospheric Chemistry

... this technique at a coal-burning **power** plant revealed emission rates of light

... has been enabled by the development of large **format detector** arrays, ...

medias.obs-mip.fr/igac/html/book/chap8/chap8.html - 111k - [Cached](#) - [Similar pages](#)

[PDF] Annex 2: Advances in Measurement Methods for Atmospheric Chemistry

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... coal-burning **power** plant revealed emission rates of light absorption that were

... **format detector** arrays, and their associated low-noise readout ...

medias.obs-mip.fr/igac/documents/chap8/A-2_txt_.pdf - [Similar pages](#)

ASTRO-F, super-IRAS, the All-Sky Infrared Survey - Monthly Notices ...

... The IRC employs large-**format detector** arrays and will be used to take deep

... By taking logarithmic steps in the density, a **threshold** redshift z_0 (ρ ...

www.blackwell-synergy.com/links/ doi/10.1111/j.1365-2966.2004.07284.x/abs/ - [Similar pages](#)

[PDF] Development of A Far-Infrared Balloon-Borne Telescope and Wide ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... · **Data Rate**. 64 kbps. · **Total Power**. 100 Watt (Li-ion battery) ... to PCM

electronics with the data **rate** of 32 kbps. This **threshold** voltage can ...

plib.phys.nagoya-u.ac.jp/PhD-Thesis/ 2003/arimura-uir/arimura-uir.pdf - [Similar pages](#)

From: Nick Ellis <ELLISN@crnvma.cern.ch> Date: Thu, 19 May 1994 17 ...

... A: Far more important is the **threshold** spread of the discriminators, ...

currently written to Exabyte tape in ZEBRA **format**. **Detector**-DAQ Interface (AM) ...

atlas.web.cern.ch/Atlas/ MAIL/DAQ_TRIGGER/199405/19940519.html - 206k - [Cached](#) - [Similar pages](#)

Freshpatents.com: Patent Applications Updated Each Week, RSS ...

... Energy: **Power** plants, Radiant, Heat exchange, Fuel Cells, Electrical/Wave

Chemistry: Molecular Biology , Adhesive, Liquid Purification, Fluid diffusion ...

www.freshpatents.com/ - 24k - [Cached](#) - [Similar pages](#)

[PDF] Xilinx XAPP681: HD-SDI Receiver Using Virtex-II Pro RocketIO Multi ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... An example of such a video **format detector** is included in the reference design. ... The

GS1524 is a multi-**rate** cable equalizer ... 2.5V Regulator **Power** Filtering ...

www.xilinx.co.jp/bvdocs/appnotes/xapp681.pdf - Supplemental Result - [Similar pages](#)

[PDF] Stratos Handbook Iss. 12

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Stratos is unique in being able to provide a consistent **level** of protection ... The slave

loop error **rate** is too large. ... **Power** OK illuminated steady Normal operation ...

www.airsense.nl/stratos-hssd/installers_handbook.pdf - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 27 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your own computer. [Download now.](#)


Find: emails - files - chats - web history - media - PDF

"format detector" rate power level

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



My Web BETA

Shortcuts Advanced Search Preferences

Search Results

Results 1 - 10 of about 12 for "**format detector**" **rate power level threshold** - 0.39 sec. (About)

1. **LTD-9 Abstracts**

LTD-9 Abstracts. C. Enss. Kirchhoff-Institut für Physik. Universität Heidelberg, D-69120 Heidelberg, Germany. In 1 reached a **level** where various applications are conceivable ... the noise equivalent noise **power** (NEP) of the det
wisp.physics.wisc.edu/ltd-9/allabs.html - 251k - [Cached](#) - [More from this site](#)
2. **<http://www.phys.hawaii.edu/~guillian/sdata1/upmu/twopoint.f>**

... plots for hour angle **rate** dependence $x_{min} = 0.0$ $x_{max} = 12.0$... and add in energy **threshold** $conten3(it) = con$
www.phys.hawaii.edu/~guillian/sdata1/upmu/twopoint.f - 224k - [Cached](#) - [More from this site](#)
3. **Dpt. of Defense SBIR Awards 2000**

... unprecedented small size, **power** consumption, and weight ... characterize **threshold** current, external efficien
www.nttc.edu/resources/funding/awards/dod/2000sbir/001af.asp - 524k - [Cached](#) - [More from this site](#)
4. **AF - 368 Phase I Selections from the 00.1 Solicitation**

... unprecedented small size, **power** consumption, and weight ... characterize **threshold** current, external efficien
www.dodsbir.net/awardlist/abs001AF.htm - 525k - [Cached](#) - [More from this site](#)
5. **SPIE Proceedings Vol. 3445**

Proceedings of SPIE are timely, high-quality proceedings of technical conferences on optics, imaging, and photon
expected in orbit ... a **threshold** energy the responsivity fell, reaching a minimum **level**, after which ...
www.spie.org/web/abstracts/3400/3445.html - 145k - [Cached](#) - [More from this site](#)
6. **Rapid high-sensitivity imaging of radio labelled gels with microchannel plate detectors**

... large resolving **power**, which are ... a smaller **format detector** - 30mm diameter ... **level** discriminator. From nc
www.src.le.ac.uk/projects/bioimaging/publications/gels.html - 24k - [Cached](#) - [More from this site](#)
7. **STMicroelectronics | LCD and Matrix Display TV Processor - STV3550**

ST Generic Part Numbers: STV3550, STV3550B ... 1.8V and 3.3V **Power** supplies Eco Standby ... 50 Teletext Le
www.st.com/stonline/books/ascii/docs/10186.htm - 289k - [Cached](#) - [More from this site](#)
8. **http://atlas.web.cern.ch/Atlas/MAIL/DAQ_TRIGGER/199405/19940519.html**

DAQ MODELLING MEETING 24/5/94 - Date May 24 1400, 104-R-B09 Dear Colleagues, Please see below agenc
First **level** trigger philosophy and its ... LHC conditions (size, **rate**,...) - mechanical quality control (x-raying ... impc
atlas.web.cern.ch/Atlas/MAIL/DAQ_TRIGGER/199405/19940519.html - 210k - [Cached](#) - [More from this site](#)
9. **http://atlas.web.cern.ch/Atlas/MAIL/ATLAS_COMBINED/199405/19940519.html**

Best regards, Silvia. Dear Colleagues, a draft of the ATLAS LHCC Milestones document is now available on the p
philosophy and its ... LHC conditions (size, **rate**,...) - mechanical quality control (x-raying ... important is the **thresl**
atlas.web.cern.ch/Atlas/MAIL/ATLAS_COMBINED/199405/19940519.html - 383k - [Cached](#) - [More from this site](#)
10. **PROGRAM AREA OVERVIEW**

PROGRAM AREA OVERVIEW – DEFENSE NUCLEAR NONPROLIFERATION ... 30 times the input **level**. The c
in **threshold** current - by improved thermal engineering ...
www.er.doe.gov/sbir/solicitations/fy_2002/NN.htm - 32k - [Cached](#) - [More from this site](#)

In order to show you the most relevant results, we have omitted some entries very similar to the ones already displayed.
If you like, you can [repeat the search with the omitted results included](#).

Web | [Images](#) | [Video](#) | [Directory](#) | [Local](#) | [News](#) | [Products](#)

Your Search:

"format detector" rate power level threshold

Search

Copyright © 2005 Yahoo! Inc. All rights reserved. [Privacy Policy](#) - [Terms of Service](#) - [Copyright/IP Policy](#) - [Submit Your Site](#) - [Job Openings](#)

About Us

Newsroom

Advisory Board

Submit Web Site

Search Tips

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"format detector" rate power level threshold

Search

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Sorry, your search has not produced any results. Before searching again, using the same or similar keywords, you may find it helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
 - check the spelling of all words
 - spell words in a different way, for example using American spelling
 - write abbreviations and acronyms in full
 - use alternative words that have the same meaning
 - search using fewer or more general words
-

[Test Zone](#) | [Toolbar](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by [FAST](#) © Elsevier 2005



SCIENCE @ DIRECT

Register or Login: Password: [Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

Quick Search: within [All Full-text Sources](#) Search Tips

results 1 - 3

3 Articles Found

format detector AND rate AND power AND level AND threshold

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#) [Search Within Results](#) View: [Citations](#) Sort By: [Date](#)

1. ☐ **Submillimeter galaxies • REVIEW ARTICLE**
Physics Reports, Volume 369, Issue 2, October 2002, Pages 111-176
 Andrew W. Blain, Ian Smail, R. J. Ivison, J. -P. Kneib and David T. Frayer
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(1179 K\)](#)
2. ☐ **Hard X-ray test and evaluation of a prototype 32×32 pixel gallium–arsenide array • ARTICLE**
Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, Volume 487, Issues 1-2, 11 July 2002, Pages 78-89
 C. Erd, A. Owens, G. Brammertz, M. Bavdaz, A. Peacock, V. Lämsä, S. Nenonen, H. Andersson and N. Haack
[SummaryPlus](#) | [Full Text + Links](#) | [PDF \(292 K\)](#)
3. ☐ **Delay line readout of microchannel plates in a prototype position-sensitive photomultiplier tube • ARTICLE**
Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, Volume 302, Issue 1, 1 April 1991, Pages 105-112
 Mark B. Williams, Stanley E. Sobottka and John A. Shepherd
[Abstract](#)

3 Articles Found

format detector AND rate AND power AND level AND threshold

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results 1 - 3

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

Help

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(format detector<in>metadata) <and> (rate<in>metadata) <and> (threshold<in>metadata)"

[e-mail](#) [print](#)

Your search matched 0 of 1152881 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)**Modify Search**[» Key](#) [»](#)

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)







© Copyright 2005 IEEE – All Rights

Search Results

□\$B"#□(B Search of Full Paper

Word count: { [format: 931] [detector: 814] :: 6 } [rate: 5321] [power: 5535] [level: 4799] [threshold: 2450]

Total 3 documents match your query.

Vol.No. pp.x-x	Type	Category	Title	Author	-	-
Vol.E82-C No.2 pp.157-169	INVITED PAPER	□\$B!!□(B	Ultrafast Optical TDM Networking: Extension to the Wide Area	John D. MOORES Jeff KORN Katherine L. HALL Steven G. FINN Kristin A. RAUSCHENBACH		
Vol.E82-B No.2 pp.209-221	INVITED PAPER	□\$B!!□(B	Ultrafast Optical TDM Networking: Extension to the Wide Area	John D. MOORES Jeff KORN Katherine L. HALL Steven G. FINN Kristin A. RAUSCHENBACH		
Vol.E83-C No.7 pp.1166-1169	LETTER	Integrated Electronics	70-Gbit/s Multiplexer and 50-Gbit/s Decision IC Modules Using InAlAs/InGaAs/InP HEMTs	Koichi MURATA Taiichi OTSUJI Eiichi SANO Shunji KIMURA Yasuro YAMANE		

Current List: 1 - 3

Page: [1]


Search String: "format detector" rate power level thresho

[how to search](#)

SEARCH

This search system is powered by Namazu v1.3.0.6

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication Engineers



IP.com
PriorArtDatabase

April 26, 2005

USPTO

Securing inno

Search

Full Text
Concept
Document ID
Recent Disclosures

Publish

Publish Disclosure

My IP.com

Manage Account
Prior Purchases
Prior Disclosures
Events
Main Page
Support
Logout

Fingerprint Lookup

<input type="text"/>
<input type="button" value="Lookup"/>

No records matched your search.

Perhaps you should try a less restrictive query.

Search query: "format detector" rate power level threshold

[New search](#) | [Modify this search](#)

Copyright © 2005 IP.com, Inc. All rights reserved. | [Privacy St](#)